#### ORM PTO-1390 (Modified U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE TRANSMITTAL LETTER TO THE UNITED STATES A32038-PCT USA S. APPLICATION NO. (IF KNOWN, SEE 37 CFR DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371 INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE PCT/US99/06384 23 March 1999 TITLE OF INVENTION SYSTEM AND METHOD FOR PERFORMING A PROGRESSIVE SECOND PRICE AUCTION TECHNIQUE APPLICANT(S) FOR DO/EO/US SEMRET. Nemo and LAZAR, Aurel Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. A copy of the International Application as filed (35 U.S.C. 371 (c) (2)) is transmitted herewith (required only if not transmitted by the International Bureau). ъ. □ has been transmitted by the International Bureau. 5 is not required, as the application was filed in the United States Receiving Office (RO/US). -6 A translation of the International Application into English (35 U.S.C. 371(c)(2)). A copy of the International Search Report (PCT/ISA/210). Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). have been transmitted by the International Bureau. c 🗆 have not been made; however, the time limit for making such amendments has NOT expired. have not been made and will not be made. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). ΞO. An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).

(35 U.S.C. 371 (c)(5)).

Items 13 to 20 below concern document(s) or information included:

A copy of the International Preliminary Examination Report (PCT/IPEA/409).

An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
 An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.

A translation of the annexes to the International Preliminary Examination Report under PCT Article 36

A FIRST preliminary amendment.

16. 

A SECOND or SUBSEQUENT preliminary amendment.

17. A substitute specification.

11.

12.

18. 

A change of power of attorney and/or address letter.

19. 

Certificate of Mailing by Express Mail

20. 

Other items or information:

Form PCT PCT/RO/101, Form PCT/IB/301, Form PCT/IB/308, Information Disclosure Statement, Form PTO-1449, refs. cited in IDS, a postcard and a check in the amount of \$553.

Express Mail No. EK839861745US Date of Deposit: October 24, 2000

# 532 Rec'd PCT/PTC 24 UU . ZULU

U.S. APPLICATION	9/674024	INTERNATIONAL AP PCT/USS				1	OOCKET NUMBER -PCT USA
	lowing fees are submitted:.					CALCULATIONS	PTO USE ONLY
BASIC NATIONA  Neither inter international and Internati	L FEE (37 CFR 1.492 (a) (1) - mational preliminary examination search fee (37 CFR 1.445(a)(2) onal Search Report not prepared	(5)): n fee (37 CFR 1.482) no paid to USPTO by the EPO or JPO	r	\$1.00	0.00		
☐ International	preliminary examination fee (37 Internation Search Report prepar	CFR 1.482) not paid to			0.00		
	preliminary examination fee (37 onal search fee (37 CFR 1.445(a)	7 CFR 1.482) not paid to	USPTO	)	0.00		
☐ International	preliminary examination fee pa s did not satisfy provisions of PC	id to USPTO (37 CFR 1.	482)		0.00		
<ul> <li>International and all claim</li> </ul>	I preliminary examination fee pa as satisfied provisions of PCT Ar	id to USPTO (37 CFR 1. ticle 33(1)-(4)	482)	\$10	0.00		
	ENTER APPROPRI	ATE BASIC FEI	E AMO	OUNT =		\$710.00	
Surcharge of \$130.0 months from the ea	00 for furnishing the oath or decl rhest claimed priority date (37 C	aration later than FR 1.492 (e)).	□ 20	) 🗆 30		\$0.00	
CLAIMS	NUMBER FILED	NUMBER EXTR	A	RATE	$\rightarrow$		
Total claims	42 - 20 =	22		x \$18.0		\$396.00	
Independent claims	3 - 3=	0		x \$80.0	0	\$0.00	
Multiple Depender	t Claims (check if applicable).	ABOVE CALC	III A T	TONS		\$0.00 \$1,106.00	
Reduction of 1/2 fo						37,700.00	
most also be filed (	r filing by small entity, if applic Note 37 CFR 1.9, 1.27, 1.28) (cl	beck if applicable).			☒	\$553.00	
30				TOTAL	=	\$553.00	
months from the ca	130.00 for furnishing the English rliest claimed priority date (37 C	translation later than CFR 1.492 (f)).	□ 20	0 🗆 3	0 +	\$0.00	
T .		TOTAL NATI	ONAL	L FEE	=	\$553.00	
Fee for recording the accompanied by an	ne enclosed assignment (37 CFR appropriate cover sheet (37 CFR	1.21(h)). The assignment 3.28, 3.31) (check if a	nt must l pplicabl	be le).		\$0.00	
ŭ		TOTAL FEES	ENCL	OSED	=	\$553.00	
						Amount to be: refunded	s
						charged	\$
☐ Plcase cha	the amount of \$553.00 rge my Deposit Account No. te copy of this sheet is enclosed.	to cover the above fe				to cover the above	ve fees.
to Deposit	nissioner is hereby authorized to Account No. 02-4377	A duplicate copy of thi	s sheet i	s enclosed.			
1.137(a) or (b)) m	appropriate time limit under ust be filed and granted to rest	ore the application to p	has not ending	been met, a status.	petitio	on to revive (37 CF	ĸ
SEND ALL CORR	ESPONDENCE TO:			Hen	iri	lang	
HENRY TANG		ì		SIGNAT	URK	<i>F</i>	
Baker Botts LLP 30 Rockefeller Pl		ļ		Henry 7	Fang		
New York, NY 1				NAME			
1		!		29,705			
1		ł		REGIST	RATIO	N NUMBER	
1				Octobe	r 23, 2	000	
1				DATE			
ı		ł					

10

15

20

# SYSTEM AND METHOD FOR PERFORMING A PROGRESSIVE SECOND PRICE AUCTION TECHNIQUE

### SPECIFICATION

### FIELD OF THE INVENTION

This invention relates to a system and method for performing a progressive second price auction technique in order to effectively allocate a finite resource among competing requestors.

### BACKGROUND OF INVENTION

A significant problem is created when a finite divisible resource is desired by two or more entities and more of the resource is requested than can possibly be allocated and distributed to the requesting entities. When the demand for a resource or product exceeds the supply, market auctions can be created in order to properly allocate the limited resource or product to the requesting entities. For example, a finite commodity such as oil is only produced in limited quantities per month and the oil is auctioned and sold in international markets. If only one million barrels of oil is produced in a month, bidders can submit bids through the international market and typically the highest bidder will win its requested allocation of the oil and will pay the supplier of the oil the price which was bid.

The problem of allocating finite resources also occurs in the electronic world. The Internet allows parties to communicate and exchange data over vast distances. However, the rate of information flow can be affected by the number of users utilizing an Internet Service Provider ("ISP") and users are forced to endure long pauses in their network connections. If critical data needs to be transmitted and received almost instantaneously over a network, premium bandwidth of an ISP can be reserved for that user. While premium bandwidth can be provided by an ISP, the

25

bandwidth is a limited resource and many users will desire all or part of the available premium bandwidth. A standard auction of the bandwidth would consist of the premium bandwidth being allocated to the highest bidder for which the bidder pays the price of the bid. However, this type of auction produces inefficiencies for larger numbers of bidders and where the bids made and availability of the premium bandwidth change over time. Other allocation mechanisms require exchanging large messages to convey demand information and are inappropriate for communication networks due to the heavy signaling load they would impose. An improved auction and allocation technique is needed.

In order to achieve an improved allocation technique, some economic principles can be applied to the technique. The example of allocating the resource of premium bandwidth will be used in the following discussion. A communication network's value such as the Internet can be characterized by what economists call externalities. The principles of externalities are that the value a user gets from the network depends upon the valuation and behavior of the other users. One recognized principle is that a communication network is more valuable to a user if more people are connected to the network. A second recognized principle is that as the utilization of the network by one user increases, the quality of service obtained by the other users decreases. Resources are shared by users who because of distance, population size, or individual selfishness cannot or will not coordinate their actions sufficiently to achieve the most desirable allocation of resources. This externality principles model indicates that a game theoretic approach in which other bidders actions are determinative of allocations and costs to a bidder could be used to improve the allocation of resources on a communication network.

The allocation of limited resources in connection with a communications network can be performed in both an actual market embodiment, when users are bidding real dollars or other items of value, and a private system embodiment, where the bids are to performed with internal budget allocations in order to obtain limited resources of the processing entity. For example, different university departments could bid on time used on a special university component with university dollars supplied by the university.

In the emerging multiservice networks (ATM, Next-Generation Internet), neither flat pricing by the peak capacity of the user's connection as used in the current Internet nor time-of-day usage prices as used in the telephone system are viable solutions to gain an efficient allocation of resources. Thus there is a need to develop a new approach to pricing of network resources. The requirements of an efficient pricing system include: (1) sensitivity to the range of resource requirements (either through a sufficiently broad range of traffic classes which are priced differently or by allowing users to explicitly quantify resource requirements); (2) prices must be dynamically responsive to unpredictable demand (market based system); and (3) the pricing architecture should constrain as little as possible the efficiency trade-offs. It would be desirable to achieve an auction technique which meets the above requirements and provides a more efficient allocation of a finite resource.

### SUMMARY OF THE INVENTION

The present invention is directed to a system and method for allocating a divisible resource using a progressive second price action technique. The technique retrieves data indicative of at least one previous bid comprising a quantity data component and a price data component, retrieves said data indicative of a new bid comprising a quantity component and a price component, allocates the resource to the first bids with price components higher than the new bid, allocates the resource to the new bid if there is some portion of the resource which has not yet been allocated and calculates the new bid's cost based upon the price component of the other bids which have been or would have been allocated the resource but for the new bid.

By calculating the cost of the resource based upon the principles of the progressive second price auction technique, which calculate the cost to the bidder 25 response to other bidders, each bidder is encouraged to bid its true valuation for the resource and is discouraged from using inefficient bidding strategies. The use of the present technique leads to a more efficient allocation system. Additional new bidders can be processed and allocated resource and the cost of the allocation to the bidder will be based upon the other bids.

20

25

An example of a resource which can be allocated is premium bandwidth by an Internet Service Provider (ISP). The ISP can process bids from different clients requesting premium bandwidth using the second price auction technique. In one embodiment, the ISP performs an initial allocation based upon initials bids and processes each new bid after the initial allocation is done. In a second embodiment, no such initial allocation is required. The bids in an auction are sorted by price component, allocated resource for bids with price components above the new bid and then allocated resource for the new bid. The cost of the new bid is based upon the bids of lower bidders who would have been allocated some bandwidth if the new bid had not been made. Thus the cost to the bidder is based upon others bids. The cost charged to the new bid equals the sum of the quantity allocations reduced on other players weighted by the bid price of such players. This technique of calculated payments or other bids encourages people to bid their actual value for the resource because the cost paid by the winning bidder is based upon other bidders' bids.

The ISP can also make its own floor bid in order to make sure that bids awarded allocations will pay a certain cost level.

### BRIEF DESCRIPTION OF THE DRAWINGS

Further objects, features and advantages of the invention will become apparent from the following detailed description taken in conjunction with the accompanying figures showing illustrative embodiments of the invention, in which

- Fig. 1 is a flow chart of the steps describing the progressive second price auction technique;
  - Fig. 2 is a graphical example of an allocation of resources;
  - Fig. 3 is another graphical example of an allocation of resources;
- Fig. 4 is a graph of a player's utility function for entering the auction as a function of possible bid prices and requested quantities;
  - Fig. 5 is a graphical example of an allocation of resources;
- Fig. 6 shows three graphs indicating the affect of a new bidder on the allocation of a resource:

in accordance with the invention.

15

5

Fig. 7 shows three graphs indicating the affect of a new bidder in the auction:

Fig. 8 shows three graphs indicating the affect of another new bidder in the auction;

Fig. 9 shows a system of bidders and prices at the auction; and Fig. 10 shows a diagram of a computer which could process the auction

Throughout the figures, the same reference numerals and characters, unless otherwise stated, are used to denote like features, elements, components or portions of the illustrated embodiments. Moreover, while the subject invention will now be described in detail with reference to the figures, it is done so in connection with the illustrative embodiments. It is intended that changes and modifications can be made to the described embodiments without departing from the true scope and spirit of the subject invention as defined by the appended claims.

### DETAILED DESCRIPTION OF THE INVENTION

The inventive technique uses a progressive second price auction mechanism. A second price auction works as follows: if an object is being auctioned between the parties, the highest bidder will be awarded the object, however, the price the winning bidder pays is the second highest price bid. This type of bidding encourages bidders to bid their true valuation of the object making the auction efficient rather than attempting to engage in inefficient bidding tactics such as one dollar more than the expected highest bid. Since the highest bidder will be paying the cost of the second highest bid, there is no incentive to bid below the actual valuation of the object being bid upon. If all the other bidders are well below the bidder's bid, he will only pay the next highest bid. If the bidder bids above his valuation of the object, he may pay more than his valuation depending upon the other bidders which is not desirable. Thus there is no incentive to bid higher than valuation.

The progressive second price auction technique applications is extended from that of the single object example to cover bidding on divisible

30 resources over time. The technique creates a very efficient mechanism to auction and

20

30

allocate a finite resource among multiple bidders. With many bidders in an auction, most players will receive a part of the resource commensurate with their valuation of the resource being auctioned.

Figure 1 is a flow chart of the steps for performing the progressive

second price auction technique. While the technique described in Figure 1 can be
used to auction any resource or other divisible good or service, the description will be
of an auction of units of a generic resource. An application to an actual resources
which can be allocated could be premium bandwidth for example. In Figure 1 and
throughout this application, a bid is defined as having two components: a quantity

component and a price component. For example, a bidder in an auction for a resource
may submit a bid for five units (quantity) at a price of \$2 per unit. While only
quantity and price components of a bid are described in the preferred embodiment,
additional components or other information could also be included in the bid as
needed.

Step 103 retrieves a list of bids previously made for the resource in a particular auction which have been previously sorted by decreasing bid price. This means the bid with the highest price offered will be first in the list and so on. Alternatively, the bids can be sorted after they are retrieved. The list of bids can be stored in a computer file, in memory of the processor performing the auction, be inputted by the keyboard or transmitted over a network in real-time by the bidder's software bidding agreement at the time of the auction or can be retrieved by any other means when the progressive second price auction technique is performed. For example, if ten bidders have previously bid for premium bandwidth in an auction, these bids (including the quantity desired and price per unit offered) will be stored in the memory of a computer or other apparatus operating the technique. The bids will then be sorted by a conventional sorting technique to place the previous bids in order from highest and lowest. Alternatively, the bids can be stored in decreasing price order in a linked list as they are received. If the bid to be processed is the first bid made in the auction and no other bid have been stored, the bid will become the first bid in the list

25

30

WO 00/57323 PCT/US99/06384

7

Step 105 retrieves the new bid (Si) to be processed which has at least both a quantity component and price component. The quantity component is in predefined units for the auction, for example, one Mbps (Megabit per second) of bandwidth, and the price will preferably be in the form of price per unit. However, the price can also be entered in the form of total price for the quantity bid and the unit price can be easily calculated. Because the technique utilizes a second price auction technique, the new bidder will be encouraged to optimally submit a bid that is approximately the bidder's true valuation for the resource. The bidder optimally bids his true value because of the operation of the second price auction mechanism as explained above. The new bid can be submitted electronically over a network such as the Internet or can be entered manually into a computer performing the technique. For example, a new bidder desiring premium bandwidth may type in a bid of \$4 per unit for three units of bandwidth into a computer and transmit the bid to the computer operating the technique over a network. A software agent can be programmed to automatically bid according to the user's needs and the market as represented by the other users' bids.

Step 107 retrieves a total quantity (Q) of resource which is being auctioned and which is available for use at one time. For example, if the resource being auctioned is premium bandwidth, the total premium bandwidth for a given ISP system or node may be 20 Mbps. Since there is only a finite amount of the premium bandwidth resource which can be used at one time, no amount of bandwidth over Q can be allocated. The quantity Q can be input manually or retrieved from electronic storage or be calculated by the auction processor. Additionally Q can be a predetermined value in the technique for the resource or can be calculated based upon other parameters. For example, if the resource being allocated is bandwidth, the ISP can monitor how much premium bandwidth is available to be auctioned with respect to the total bandwidth for a given time period. The ISP may increase the percentage of bandwidth which is designated premium. The value Q would then change over time due to the technical or market variables.

Step 109 initially sets the quantity remaining variable  $(Q_i)$  to equal the total quantity Q. At this point in the technique for processing the new bid, no

bandwidth has been allocated with respect to the new bidder according to the technique. The actual bandwidth can be utilized according to prior allocations at the time of the processing of the new bid. The quantity remaining variable Q<sub>i</sub> indicates the amount of the resource which has not yet been allocated during the allocation technique for the new bid.

Step 111 identifies the next highest bid  $(S_j = (Q_j, P_j))$  where  $S_j$  is the  $j^{th}$  bid;  $Q_j$  is the  $j^{th}$  quantity bid; and  $P_j$  is the  $j^{th}$  price bid. The first time the auction technique performs this step, the next highest bid identified will be the bid with the highest price included in the bid list. Since the bids have been sorted by decreasing bid price, the first bid in the list should initially be the highest. If the list is implemented as a linked list, a pointer will be pointing to the highest price bid.

Step 113 checks if the current identified bid in the list is greater than or equal to the new bid S, in the auction. If the current identified bid in the list is greater than or equal to the new bid price, the technique continues with step 115. If the current bid pointed to in the list is less than the new bid price, than the technique continues with step 117.

Step 115 subtracts the quantity component of the current identified bid in the list from the value of the available quantity  $Q_i$ . Since the price of the current identified bid in the list is greater than the new bid, it will be awarded the quantity of resources that it had requested (to the extent the remaining quantity of resource is not yet assigned during this allocation for the new bid). The amount of the resource which has just been allocated to the higher bid in the bid list is subtracted from the available resource variable  $Q_i$ . If the new bid price is below previous bids from the bid list which in aggregate request a total allocation that equals or exceeds the available allocation of the service provider, the new bid will be allocated none of the resource because the resource has been allocated to the higher bidders. The new bidder will be forced to increase its bid price in a subsequent bid or obtain the resource from another source. If the current identified bid in the list of retrieved bids requests more resource than is currently available as identified in  $Q_i$ , the entity making the bid will be allocated the remaining portion of the resource. In that case, the new bidder will receive some of the resource that was requested.

15

20

Step 116 checks if the quantity remaining variable Q<sub>i</sub> is equal to zero.

If it is equal to zero, then there is no more resource to be allocated to the new bidder S<sub>i</sub> and the technique is completed for the new bidder S<sub>i</sub> with respect to the bid made.

The bidder may then increase its bid price and submit a new bid. If Q<sub>i</sub> does not equal

zero, then the testing of received bids in the list continues and the technique goes to step 111.

Step 117 is reached if the bid price in the new bid  $S_i$  is high enough such that some amount of quantity remains to be allocated at that bid price. For example, if the total allocation was 9 units and the auction computer has previously received bids (quantity, price) of (3, \$7), (3, \$6), (3, \$2), and the current bid  $S_j$  is (3, \$5), the first two bids of \$7 and \$6 would each be allocated 3 units and 3 units would remain to be allocated ( $Q_i = 3$ ). Step 117 then allocates the proper amount of the resource to the new bidder  $S_j$  by taking the minimum of (1)  $Q_i$  (the amount remaining) and (2)  $q_i$  (the amount of requested). Thus, the new bid  $S_i$  will be assigned the quantity requested to the extent it is available and not already assigned. In the example above, the new bidder would be assigned 3 units.

Steps 119 through 123 calculate the price for the new bidder according to the progressive second price auction technique. Step 119 places the new bid in sorted order into the list of bids. For example, the bid could be added to a linked list such that the bid prices are arranged in descending order. The lowest bid which has previously received an allocation of the resource is then identified. If an initial allocation has not yet been performed, then the lowest bid is identified which would have been allocated some of the resource if the new bid was not present.

Step 121 then calculates the total cost for the new bidder based upon

25 the progressive second price auction technique. The cost is calculated on an exclusion compensation principle: the new bidder i pays for his allocation so as to cover the "social opportunity cost" which is given by the declared willingness to pay (through their bids) of the users which are excluded by i's presence. The operator and supplier of resources at the auction is thus compensated for the maximum lost potential

30 revenue from the new allocation.

Thus in the previous example, if the lowest bid receiving an allocation

25

30

of resources was \$2 for three units before the new bid, these three units would be reassigned to the new bidder who just bid \$5 for the three units. The new bidder  $S_j$  would then be charged \$2 for each unit allocated.

If an additional bidder now entered the bidding with a bid of (3, \$5.50),

5 the stored bidding list would include the following: (3, \$7), (3, \$6), (3, \$5), (3, \$2)

with the first three bids being allocated three units each. The new bidder at \$5.50

would be allocated the three units of the \$5 bidder at a cost of \$5 per unit according to
the second price auction rule. Thus allocation prices are always based upon the bids
of the bidder with lower bids who had previously received an allocation or would have

10 received an allocation but for the new bidder.

Step 121 shows how the cost for a new bidder who is receiving an allocation of the resource is calculated. For each bid with a lower bid price which received an allocation of the resource before the new bid, the bid price is added to the total cost charged to the new bidder until the allocated quantity matches the requested quantity in the bid. This reflects the shift in allocation from the lower bidders to the new bidder with the higher bid. The amount reallocated for each previous bid is responsive to how much quantity was previously allocated or would have been at that bid level. Thus the cost  $C_i$  is equal to  $C_i$  plus the price of the unit bid times the minimum of (1) the quantity being reallocated and (2) quantity allocated for the previous bid. If an allocation of 2 units at \$3 is reallocated during the processing of a new bid of 4 units at \$4, 2 units will be reallocated for that new bid from the lower bid. The quantities allocated in the next higher bids (but below the new bid price) will then be used to further calculate the total cost of the new bid reflecting the displaced allocation.

After the reallocation has been performed for a particular bid, the amount to be reallocated for the new bid is reduced by the minimum of (1) the amount to be reallocated  $a_i$  and (2) the amount allocated at the retrieved bid  $Q_i$  ( $a_i=a_i-m_w(j,a_i)$ ). Thus once the allocation amount requested in the bid has been accounted for by one or more lower bids which have been or would have been allocated, no further costs need to be taken into account.

Step 123 then identifies the next higher  $P_j$  to be used in calculating  $C_j$ . The process then continues with step 125. Step 125 checks if  $a_i$  (the amount remaining be reallocated) is zero or if a  $P_j$  exists which is greater than  $P_i$ . If one of these conditions is true, then the process is complete for the new bid. If there are additional lower  $P_j$  to process and there is some resource which is to be reallocated, the process  $P_i$  continues with step 121.

Figures 2 and 3 are graphical examples of the change in an allocation of resources in response to a new bid being processed. Figure 2 depicts an allocation of resources based upon previous bids before the new bidder has entered the auction a new bid is processed. In this example, the total quantity of resources (Q<sub>T</sub>) is thirtyfive units as indicated in box 203. In this example, the following bids are retrieved as indicated in box 205: the first retrieved bid S, is for 7 units at \$1 per unit; the second retrieved bid S2 is for 18 units at \$2 per unit; the third retrieved bid S3 is for 5 units at \$3 per unit and the fourth retrieved bid  $S_4$  is for 10 units at \$10 per unit. Graph 201 shows a horizontal axis indicating bid quantity 207 and a vertical axis indicating bid price 209. The bids located to the right of the vertical axis are allocated a portion of the resource being auctioned. The bids are initially allocated according to the highest bid price. Thus the fourth bid S<sub>4</sub> (the highest bid price) is indicated by bar 211. Bar 211 shows that the entire 10 units requested by the bid have been allocated. Bar 213 shows the allocation for the third bid S3 which received all of its five requested units. Bar 215 shows the allocation for the second bid S2 which received all of its 18 requested units. After the bids S4, S3 and S2 were allocated, only two units remained unallocated (35-10-5-18 = 2). Thus, bar 217 indicates two units being allocated to bid S1 and five units requested by S1 not receiving an allocation (shown to the left of the vertical axis). The price levels on the graph indicate the bid price and the not price actually paid. The cost of the successful bid is calculated using the progressive second price auction technique described in connection with Figure 1.

Figure 3 shows a graphical example of how the allocation changes if a new fifth bid comes into the auction as  $S_5$  (5, \$2.50) according to the present technique. Figure 3 shows the graph 201 but now with the new allocation due to the processing of the new bid  $S_5$ . Graph 301 has a horizontal axis indicating bid quantity

20

307 and a vertical access indicating the bid price 309. The total level of quantity available is still 35 units as indicated in box 203. The new bid  $S_3$  is shown in the bid list 305 and is placed in the order of prices bid. Bid  $S_2$  with a bid price of \$2.50 is shown between  $S_2$  and  $S_3$ . The graph now reflects the allocation to each bid after the new bid is taken into account.

In Figure 3, the entity with bid  $S_4$  is again allocated 10 units as shown by bar 311. The person with bid  $S_3$  is again allocated 5 units as shown by bar 313. The next highest bid is  $S_3$  so the bidder of  $S_5$  is allocated the five units requested. Between  $S_4$ ,  $S_3$  and  $S_5$ , twenty units have been allocated thus only 15 units remain (35-10-5 = 15). The next highest bid,  $S_2$ , has requested an allocation of 18 units. However, since only 15 units remain to be allocated,  $S_2$  receives 15 bars as shown by bar 315. This is three less than is shown in Fig. 2. Bid number one who requested seven units is now allocated zero units as shown by bar 317 which is to the left of the vertical axis.

The cost of the new allocation to new bidder  $S_5$  is the amount displaced 321 by the reallocation. Thus the total cost for the five units reallocated and displaced by the bid  $S_5$  is (3 units x \$2) + (2 units x \$1) = \$8. The unit cost for the fifth bidder  $S_5$  is the total cost divided by the number of units allocated or 8/5 = \$1.6. Thus bidder five will pay \$1.6 per unit even though he bid \$2.5 per unit according to the progressive second price auction technique.

Because the allocation and actual price paid are based upon other bids for the resource, the auctioneer can submit its own floor bid to buy the resource at a particular price. This will stop initial bidders from acquiring the resources for too low a price and will allow the auctioneer to influence the price paid by others. The floor price must be set at an appropriate level or the auctioneer may not sell the resources to other bidders at all.

The progressive second price auction technique meets the requirements of an efficient pricing system by allowing for varying bids by the bidding entity and allowing a bidder to specify the quantity requested, having resource prices which are responsive to the market conditions and limiting restraints on efficiency.

20

WO 00/57323 PCT/US99/06384

13

In order to make efficient bids in an auction that is being carried out on a continuous and quick manner such as auctioning bandwidth, a valuation technique can be used to quickly enter the bids of a bidder into an electronic auction to get an efficient result. Each player i has a valuation of the resource  $e_i$  ( $a_i$  (s))  $\geq 0$  which is the total value of the allocation received. A bid profile can be created to get a utility  $U_i(s)$  where  $U_i(s) = e_i$  ( $a_i(s)$ ) -  $C_i(s)$  which is the value minus the cost. Additionally, bidders can have a budget constraint of the total cost which can be spent for a resource for a period of time so that the total cost of the bids must be under the budget parameter b.

Figure 4 shows a graph 401 of a player's utility function for entering the auction at a particular bid price. In the auction in this example, there are five other bidders with the following bids:  $S_1 = (100, 1); S_2 = (10, 2); S_3 = (20, 4); S_4 = (20, 7)$  and  $S_5 = (30, 12)$ . The new player  $S_6$  has a valuation function of  $\Theta_6$  (q) = 10q (or \$10 per unit). The plateaus at the top of the graph 401 show where the quantity requested by the new bidder can no longer be increased at that bid price because they have been allocated to other bidders. Graph 401 has three axis: quantity 403, price bid 405 and utility 407. While the new bid price is under ten, the utility is increasing as shown in the figure. However, if the price of the new bid has a price component over 12 in order to get additional quantity, the overall utility for each extra unit decreases because the most the bidder is willing to pay for an allocation of resources is ten dollars per unit. The utility graph can be shown in another form as in Figure 5.

Figure 5 shows an allocation graph similar to the graphs shown in Figures 2 and 3. Box 501 shows the valuator function 10q (or ten times the quantity) where the quantity is shown on the horizontal axis and utility is shown in the vertical axis. In the graph 503, the bids discussed in the example of figure 4 are shown. The horizontal axis indicates quantity allocated 505 and the vertical axis is the price of the bid 507. The total quantity to be allocated is one hundred units. The bids for the auction are indicated in box 509. The allocation to bid  $S_1$  is indicated by bar 511; the allocation to bid  $S_2$  is indicated by bar 513; the allocation to bid  $S_3$  is indicated by bar 515; the allocation to bid  $S_4$  is indicated by bar 519. Bid  $S_4$  is only allocated twenty units of all of the overall units. In order to

5

determine the optimal bid by a new play  $S_6$  with a valuation function shown in box 501, the derivative of the valuation function is taken to determine the slope of the demand. The derivative of the new bidder's valuation function is shown in graph 503 as line 521. Every quantity indicated in a bar below line 521 is more valuable to the new bidder than those quantities bid by other bidders with lower price components. Thus the new bidders would want to bid \$10 in order to obtain seventy of the total units which includes the twenty units of line 513, the twenty units of line 515, ten units of line 517 and twenty units of line 519. Additional units could cost above the calculation for the unit so a higher bid would not be efficient. The actual cost which the new bidder will pay is calculated using the technique described in connection with Figure 1. The thirty units shown by bar 511 were bid at a price of \$12 which is above the price of \$10, the utility derived by the new bidder. Thus the new bidder would obtain 70 units at a bid price of \$10. While a straight line derivative function is shown in the example, more complicated valuation functions can be used to model the correct bidding strategy.

Auctions, as formulated here, are applicable in a setting where the resources are arbitrarily divisible. Thus, this approach would fit well in a system where arbitrary amounts of resources can be requested and obtained, such as in pricing of the "expected capacity" profiles in the Internet with differential service.

For network resource allocation which is time based, bidding could be for example on a per flow basis or per unit time on an appropriate time scale. A flow level model can be used particularly if the entity in the auction is a software bidding agent, possibly embedded into a software application, which develops (over time and with human feedback) an accurate estimate of the entity's utility function  $\Theta$ , the relationship between resources and value or perceived level of service.

An example of a flow level auction includes an agent-based system implemented in a common programming language and a seller which is an ISP whose network has a bottleneck bandwidth (maximum resource capacity) of 45 Mbps. The example described is an actual auction performed using the progressive second price auction mechanism. Using a flow level service model, the ISP allocates capacity to all its users. In that service model, the allocation is a traffic profile for each user.

15

20

30

WO 00/57323 PCT/US99/06384

15

enforced by a profile meter at the point of connection to the network. The network offers premium service to all in-profile packets (e.g. lower loss and/or delay) and any out-of-profile traffic gets best-effort service. The provider must provision the network to carry all the in-profile traffic that it expects at a given time, or conversely, must not sell more capacity ("sum" of profiles) than it has in the worst case scenario. Depending on how strictly the ISP wants to honor the contract and how well it can predict the routes it expects the traffic to take, it will sell a total capacity which is equal or greater than the bottleneck capacity. In this example it is assumed the ISP is extremely conservative, so it will only sell 45 Mbps so that all units sold will be supplied. In addition the ISP must ensure that it in turn purchases a large enough profile from neighboring networks to ensure that the in-profile traffic of its users get the contracted service even after it leaves its network. The reserve price p<sub>0</sub> corresponds to the price paid by the network to get capacity from neighboring networks.

The profiles for the bidders in this example can be any traffic descriptor. For example, the allocation can give the users a minimum guaranteed bandwidth (which will be the allocated quantity), with each user being allowed to burst up to their physical line rate. This can be done for example with a "leaky-bucket" traffic meter. If the bucket sizes are fixed by the ISP, and users are allocated (and pay for) a token rate. The bucket size determines the maximum in-profile burst size, and would correspond to the worst case buffer occupancy -- or delay -- that the ISP can tolerate for premium traffic. Clearly the quality of service for most internet traffic will be better if the allocated premium bandwidth is increased. But, because the profile allows for bursts, the improvement in quality will decrease as the premium bandwidth approaches the physical line rate, and of course, there is no use in having a premium bandwidth greater than the peak rate. Therefore, a reasonable model of a bidder's valuation is strictly increasing and concave up to the peak rate, and flat above the peak rate ("Bidding Valuation Curve").

To represent a realistic range of the connection speeds of users who would request premium bandwidth from home or small business users to a peer network connecting with a T3 line, the user population in this example has line rates q

 $\in$  {256 Kb/s, 1.5 Mbps, 45 Mbps}. ISPs currently charge T1 connections at flat rates of \$500-\$1500 per month. This works out to \$0.008-\$0.023 per Mbps per minute. Similarly, dial-up users are charged flat-rates of \$10-\$30 per month for 30 Kbps connections, which works out to \$0.007-\$0.021 per Mbps per minute. The closeness between the two cases indicates that these flat rates are rough indications of average valuations. The operator of the auction can also charge a small amount to process each bid.

The following bidding technique can be used as a strategy by an entity bidding in the progressive second price auction: if the utility for the bidder is increased by increasing the bid price or quantity requested and still remain within budget, submit a new bid with increased price and/or quantities.

The order of the bids is inconsequential for the bidding technique. Bidders join the auction at different times and bid, for example, once per second. This, along with communication delays which make the times at which bids arrive at the server and updates at the clients essentially random times, make the distributed auction asynchronous.

The above described bidding technique can be described as selfish and short-sighted. It is selfish because it will submit a new bid if and only if it can improve its own utility (by more than the fee for the bid) and short-sighted because it does not take the extensive form of the auction into account, i.e., does not use strategies which may result in a temporary decrease but a better utility in the long run by tactically exploiting other users.

In this example, the total capacity is  $Q=45\,$  Mbps. A bid fee is the fee paid to the operator of the auction to make the bid. It is typically a relatively small amount relative to the bid price. The bid fee in this example is  $\epsilon=\$0.00125$ . All times for the example are in seconds. In this example, the auction is run with one agent (bidding computer) per user, and the agents are distributed evenly on different workstations. The auctioneer agent (processing computer) runs alone on a separate workstation such as a Sun Ultra-2 SPARC workstation. "Arrivals" of new players correspond to Internet users whose profile was zero (pure best-effort) who have not been bidding who suddenly request a bidding profile. This could be for example users

30

5

who are content with best effort traffic at night and on weekends, but require better bandwidth during business hours.

17

In this example, we begin at  $t_0 < 0$  with a population consisting of:

- (1) 20 users (bidders 1-20) with a peak rate of 1.5 Mbps
- (2) 2 users (bidders 21 and 22) with a peak rate of 45 Mbps
- (3) 50 users (bidders 23-72) with a peak rate of 256 Kb/s

The valuations for each player follow the Bidder Valuation Curve, as described above. We let this set of users bid according to their valuations until an equilibrium is reached (i.e., no new bids have been received for a few minutes), at some time t < 0. We then show the affect of new players with bids entering and leaving the auction as shown in Figure 6.

Figure 6 shows three graphs showing the affect of the new small user on the auction. Graph 601 shows the requested quantity of bandwidth allocation for the 256 Kb/s line rate user. The horizontal axis for graph 601 is time and the vertical axis is bandwidth request. Graph 603 shows the allocation for the new bidder. The horizontal axis for graph 603 is time and the vertical axis is bandwidth allocated. Graph 605 shows the bid and paid price for the bandwidth. The horizontal axis for graph 605 is time and the vertical axis is dollars per (minutes X Mbps). The bid price is indicated by the solid line and the paid price is indicated by the dotted line. The paid price (cost) line is lower than the bid price because of the progressive second price auction process being used. The bid price and paid price are close to one another because of the relatively large number of bidders in the auction.

Figure 7 shows three graphs showing the affect of the new small user on the auction from a different perspective. Graph 701 shows the requested quantity of bandwidth allocation for the 1.5 Mbps line rate user. The horizontal axis of graph 701 is time and the vertical axis is bandwidth request. Graph 703 shows the actual allocation for the new bidder. The horizontal axis of graph 703 is time and the vertical axis is bandwidth allocated. Graph 705 shows the bid and paid price for the bandwidth. The horizontal axis of graph 705 is time and the vertical axis is dollars per (minutes X Mbps). The bid price is indicated by the solid line and the paid price is indicated by the dotted line. The paid price (cost) line is lower than the bid price

25

30

18

because of the progressive second price auction process being used. The bid price and paid price are close to one another because of the relatively large number of bidders in the auction.

Figure 8 shows three graphs showing the affect of the new small user

on the auction from a different perspective. Graph 801 shows the requested quantity
of bandwidth allocation for the 45 Mbps line rate user. The horizontal axis of graph
801 is time and the vertical axis is bandwidth request. Graph 803 shows the actual
allocation for the new bidder. The horizontal axis of graph 803 is time and the
vertical axis is bandwidth allocated. Graph 805 shows the bid and paid price for the
bandwidth. The horizontal axis of graph 805 is time and the vertical axis is dollars
per (minutes X Mbps). The bid price is indicated by the solid line and the paid price
is indicated by the dotted line. The paid price (cost) line is lower than the bid price
because of the progressive second price auction process being used. The bid price and
paid price are close to one another because of the relatively large number of bidders in
the auction.

The following events in this example are reflected by the changing allocations to the different bidders as shown in Figures 6, 7 and 8:

- (1) At t = 0, player 73 (a new 256 Kb/s user) joins. Initially, the new user assumes the market is empty, so he asks for a large profile. As his knowledge of the opponent profile is updated (received by the processor of the auction), he realizes this is too expensive, decreases his quantity, and raises the bid-price. Figure 6 shows that after three bids by the new player (and reactions by others), the market has stabilized at a new equilibrium by t = 170, where player 73 has an allocation of a premium bandwidth a<sub>3</sub> = 128 Kb/s.
- (2) At t = 550, player 74 (a new 1.5 Mbps user) joins. Figure 7 shows that after two bids by player 74, by t = 600, a new equilibrium is reached with  $a_{74} = 728$  Kb/s. At this new equilibrium, the unit price paid by player 73 is increased slightly from 0.00625 to 0.00629 (barely visible on Figure 6).
- (3) At t = 890, player 75 (a new 45 Mbps user) joins. Unlike the previous

10

15

20

two. this large arrival has a significant impact on the market. Figure 8 shows that by t = 1200, after 28 bids by the new player, a new equilibrium is reached, where  $a_{75} = 19$  Mbps. At the new equilibrium, player 74's share of the premium bandwidth drops from 728 Kb/s to 540 Kb/s, and the price paid per unit to rises from 0.0063 to 0.008.

- (4) Between time t = 1600 and 1700, 50 new users with peak rates of 256 Kb/s join the game. This causes the market to fluctuate for a few minutes, and a new equilibrium is reached where the prices are slightly higher, and allocations slightly lower for the existing players (see Figures 6 to Figures 8).
- (5) Just before t = 2500, players 1-20 (all 1.5 Mbps line rate) suddenly leave. This causes a sharp drop in the market, which takes about 200 seconds to stabilize. The subsequent equilibrium is not much different from the previous one, in terms of both allocations and prices, despite the fact that potential demand has been reduced by about 30 Mbps. This is because many users with lower valuations who were not fully satisfied before now use up the freed capacity, and there is still enough unsatisfied demand just below the market clearing price to keep prices at almost the same level.
- (6) At r = 3140, players 21-22 (both 45 Mbps rate) suddenly depart. The freed capacity is enough to satisfy a lot of pent-up demand, so the prices drop by about half, to around \$0.004, and allocations increase for the remaining players.

Note that throughout this example, of the three players described, the

25 T3 user (player 75) pays a lower price per unit than the other two. This "volume discount" occurs because of the greater bandwidth allocation to player 75 and the fact that in the progressive second price auction mechanism more lower price bidders are being displaced by the higher quantity requested.

These examples show that the impact of many small independent users is much smaller on the market dynamics than that of a single user with the same total demand. For each small user, his inability to "move" the market with his bid makes it

15

20

25

in effect equivalent to a retail market. This suggests that for the smallest users, the market can be approximated by simply advertised prices (which arise from the interaction among medium and large users), and the user making a simple choice of whether to buy or not. This is indeed what occurs with most commodities (e.g., oil).

20

The progressive second price auction generalizes key properties of traditional single non-divisible object auctions to the case where an arbitrarily divisible resource is to be shared. The allocation technique assuming an elastic-demand model of user preferences constitutes a stable and efficient allocation and pricing mechanism in a network context, both for Virtual Path/Virtual Network and edge capacity pricing applications.

Figure 9 is a diagram of an example of a system which can use the progressive second price auction technique. System 901 includes Internet Service Providers ISP1 903, ISP2 905 and ISP3 907. Each Internet Service Provider is connected to a network. ISP1 903 is connected to network 909, ISP2 905 is connected to network 911 and ISP2 907 is connected to network 913. Bidding entities 915 are computers which are connected to a network (either network 903, 905 and 907) and participate in auctions by sending electronic bids including a quantity request component and a bid price component to the ISP to which they are connected. The bids can be individual bids or in the form of a valuation data expressed by multiple price component and quantity component bids or a valuation function expression. The bidding entities 915 include a central processing unit and memory which stores a set of instructions for formulating and transmitting the bids to the auction processor (in this example the ISP). An ISP can also transmit auction updates to the bidding entities 915. System 901 can be used to auction premium bandwidth by an ISP.

The Internet is made up of a number of networks connected together such that a message will eventually be transmitted from a sending party to a receiving party. Thus if a bidder is bidding on premium bandwidth, a message will typically need to travel over numerous networks to reach its destination. Thus the premium bandwidth must be allocated by each network and the bids required to secure the overall connection contribute to the complete cost.

20

For the purpose of this auction example, each ISP is requested by a computer which includes a processor and memory and is described in more detail in the description of Figure 10. If a bidding entity wants to transmit information to an entity that is not directly connected to the transmitting entity's ISP, the ISP needs to 5 secure their proper bandwidth from the intervening and destination ISP. This is accomplished by the ISP becoming a bidding entity itself (as shown by box 904) where the ISP bids for another's ISP bandwidth in order to ensure that the data flow bandwidth will be allocated for the entire connection, not just through the ISP's connections. Thus ISP 903 will act as a bidding entity 904 for the auctions performed by ISP2 905 and ISP3 907 if the bandwidth from those ISPs is required by the bidders in ISP's auction. An alternative arrangement is to have the bidder place bids himself in each of the ISP auctions. However, this leads to inefficiencies if the network path includes many ISPs who must allocate the bandwidth for the data exchange and the bidder is only connected to one ISP.

New bidding entity 917 is a bidder who has just entered the auction preferably after a number of other bids have been submitted. However, the new bidder 917 can also be the first entity to enter the auction. In the latter case there is preferably a floor bid which is provided by the ISP which is operating the auction.

Figure 10 is a diagram of an Internet Service Provider. The ISP network bandwidth is controlled by a computer which preferable includes a central processing unit 1001, a memory 1003 connected to the CPU 1001, an input/output (I/O) port 1005 and a databus 1007 connecting processor 1001, memory 1003 and I/O port 1005. In the example of allocating premium bandwidth, the ISP preferably operates the progressive second price auction technique. Program instructions implementing the progressive second price auction technique are stored in memory 1003 which are executed by processor 1001 to perform the technique as described in connection with Figure 1. As the ISP receives bids for an auction, the bids can be stored in memory 1003. Alternatively, the bids can be stored in a memory outside of the ISP but which is accessible to the ISP. I/O port 1005 is connected to one or more 30 networks which the Internet Service Provider manages.

Memory 1003 also can store data related to the allocation process such as the maximum amount of the resource which can be allocated, the present allocation of the resource and the past history of the allocation and payments made to the ISP after the bids have been accepted. Processor 1001 can perform the calculation necessary to perform the allocations and calculate the costs of a new bidder using the progressive second price auction technique.

22

The foregoing merely illustrates the principles of the invention. It will thus be appreciated that those skilled in the art will be able to devise numerous systems and methods which, although not explicitly shown or described herein,

10 embody the principles of the invention and are thus within the spirit and scope of the invention.

For example even though this application describes solving problems of bandwidth and buffer space reservation in a communication network, the auction technique is formulated in a manner which is generic enough for use in a wide range of situations.

### CLAIMS

- A method of allocating a resource comprising the steps of: retrieving data indicative of at least one bid comprising a quantity data component and a price data component;
- 5 retrieving second data indicative of a new bid comprising a quantity component and a price component;

first allocating said resource to said at least one bid with a price component higher than the price component of said new bid;

allocating said resource to said new bid responsive to said first

10 allocation step;

calculating said new bid's cost responsive to said price component of at least one bid with a price component lower than said price component of said new bid; and

storing cost data indicative of said calculated cost.

- 2. The method of claim 1, wherein said resource is bandwidth.
- The method of claim 1, wherein said new bid's resource
   allocation and said calculated cost are transmitted to an entity who made said new bid.
- The method of claim 1, wherein said allocated resource is
   utilized by an entity associated with said bid.
  - The method of claim 1, further comprising a step ordering said retrieved at least one bid by said at least one bid's price component.
  - 6. The method of claim 1, further comprising the step of retrieving data indicative of said resource's maximum capacity and wherein said allocation steps are responsive to said maximum capacity.

- 7. The method of claim 6, wherein said resource is allocated to said new bid only if said first allocation in less than said maximum capacity.
- The method of claim 1, wherein an initial allocation of said resource is performed before said new bid is processed.
- 5 9. The method of claim 8, wherein said calculating said new bid's cost is responsive to at least said retrieved bid with data indicative of said lowest price component which has been allocated in said initial allocation.
  - 10. The method of claim 8, wherein said calculating said new bid's cost is responsive to a plurality of said retrieved bids with data indicating said prices which are lower than said new bid.
  - 11. The method of claim 1, wherein said calculating said new bid's cost is responsive to at least said retrieved bid with data indicative of said lowest price which would have received an allocation if said new bid was not retrieved.
  - 12. The method of claim 11, wherein said calculating said new bid's cost is responsive to a plurality of said received bids with data indicative of prices lower than said new bid.
    - The method of claim 1, wherein one of said at least one bid is submitted by a processor performing said allocation steps.
- 14. The method of claim 1, wherein said at least one bid comprises 20 valuation data comprising a plurality of price components associated with a plurality of quantity components.
  - 15. The method of claim 14, wherein said allocation is responsive to said plurality of price components and said quantities components.

- 16. The method of claim 1, wherein said new bid comprises valuation data comprising a plurality of price component associated with a plurality of quantity components.
- The method of claim 16, wherein said allocation is responsive
   to said new bid's plurality of price components and said quantity components.
  - An apparatus for allocating a resource comprising: means for retrieving at least one bid comprising a quantity component and a price component;
- means for retrieving a new bid comprising a quantity

  10 component and a price component;
  - means for first allocating said resource to said at least one bid with a price component higher than said new bid;
  - means for allocating said resource to said new bid responsive to said first allocation step; and
  - means for calculating said new's bids cost responsive to said price component of at least one bid with a price lower than said new bid.
    - 19. The apparatus of claim 18, wherein said resource is bandwidth.
- The apparatus of claim 19, further including means for storing
   data indicative of said cost.
  - The apparatus of claim 18, further comprising means for ordering said retrieved at least one first bid by said bid's price component.
- The apparatus of claim 18, further comprising means for retrieving said resource's maximum capacity and allocating said resource responsive
   to said maximum capacity.

- 23. The apparatus of claim 22, wherein said resource is allocated to said new bid by said allocation means only if said first allocation in less than said maximum capacity.
- 24. The apparatus of claim 18, wherein an initial said allocation of 5 said resource is completed by said first allocation means before said new bid is processed.
  - 25. The apparatus of claim 24, wherein said calculating said second bid's cost by said allocation means is responsive to at least said retrieved bid with said lowest price which has been allocated in said initial allocation.
  - 26. The apparatus of claim 25, wherein said calculating said new bid's cost by said allocation means is responsive to a plurality of said received bids with prices lower than said new bid.
  - 27. The apparatus of claim 18, wherein said calculating said new bid's cost by said allocation means is responsive to at least said retrieved bid with said lowest price which would have received an allocation if said new bid was not made.
    - 28. The apparatus of claim 27, wherein said calculating said new bid's cost by said allocation means is responsive to a plurality of said received bids with prices lower than said new bid.
- The apparatus of claim 18, wherein one of said at least bids issubmitted by an operator of said apparatus.
  - 30. The apparatus of claim 18, wherein said at least one bid comprises valuation data comprising a plurality of price component associated with a plurality of quantity components.

15

20

- 31. The apparatus of claim 30, wherein said allocation by said allocation means is responsive to said plurality of price components and said quantities components.
- 32. The apparatus of claim 18, wherein said new bid comprises
  valuation data comprising a plurality of price component associated with a plurality of quantity components.
  - 33. The apparatus of claim 32, wherein said allocation by said allocation means is responsive to said new bid's plurality of price components and said quantity components.
  - 34. A system for allocating a resource comprising: at least one bidding entity for providing bids comprising a quantity component and a price component;


a new bidding entity for providing at least one bid comprising a quantity component and a price component; and


A processor for first allocating said resource to said at least one bid with a price component higher than the second bid and for allocating said resource to said new bid responsive to said first allocation step; wherein said processor calculates said new's bids cost responsive to said price component of at least one bid with a price lower than said new bid.


- The system of claim 34, wherein said resource is bandwidth.
- 36. The system of claim 34, wherein said processor transmits information indicative of said price component of said new bidding entity to said at least one bidding entity.

- 37. The system of claim 34, wherein said processor retrieves data indicative of said resource's maximum capacity and allocates said resource responsive to said maximum capacity and wherein said resource is allocated to said new bid only if said first allocation in less than said maximum capacity.
- 5 38. The system of claim 34, wherein said calculating said new bid's cost is responsive to at least said retrieved bid with said lowest price component which has been allocated in said initial allocation.
  - 39. The system of claim 34, wherein said calculating said new bid's cost is responsive to a plurality of said received bids with prices lower than said new bid.
  - 40. The system of claim 34, wherein said calculating said new bid's cost is responsive to at least said retrieved bid with said lowest price which would have received an allocation if said new bid was not made.
  - The system of claim 34, wherein said at least one bid comprises
     a plurality of price component associated with a plurality of quantity components.
    - The system of claim 41, wherein said allocation is responsive to said plurality of price components and said quantity component.

PCT/US99/06384












FIG. 4









SUBSTITUTE SHEET (RULE 26)

7/10




# SUBSTITUTE SHEET (RULE 26)

8/10







SUBSTITUTE SHEET (RULE 26)

10/10




FIG. 10

BAKER BOTTS L L P FILE NO.: A32038-PCT/USA -070050.1382

# COMBINED DECLARATION

# AND POWER OF ATTORNEY

# (Original, Design, National Stage of PCT, Divisional, Continuation or C-I-P Application)

As a below named inventor, I hereby declare that:

This declaration is of the following type:

1999 and was amended on (if applicable).

My residence, post office address and citizenship are as stated below next to my name; I believe I am the original. first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

# SYSTEM AND METHOD FOR PERFORMING A PROGRESSIVE SECOND PRICE AUCTION TECHNIQUE

[	original		
[	design		
Ī	X] national stage of PCT/US99/06384, filed March 23, 1999.		
ſ	divisional		
Ī	continuation		
Ĩ	continuation-in-part (C-I-P)		
he s	pecification of which: (complete (a), (b), or (c))		
a) [	is attached hereto.		
	[X] was filed on March 23, 1999 as Application Scrial No. 09/674,024 and was icable).	amended o	n (if
C) [.	X ] was described and claimed in PCT International Application No. PCT/US99/06384 fi	led on Ma	irch 23.

# Acknowledgement of Review of Papers and Duty of Candor

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of the subject matter claimed in this application in accordance with Title 37, Code of Federal Regulations § 1.56.

[] In compliance with this duty there is attached an information disclosure statement. 37 CFR 1.98.

### Priority Claim

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT International Application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International Application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application on which priority is claimed

(complete (d) or (e))

- (d) [X] no such applications have been filed.
- (e) [] such applications have been filed as follows:

NO. FINDA / NO.

IJAKER BOTTS 1\_U.P.
FILE NO.: A32038-PCT/USA -070050.1382

COUNTRY	APPLICATION NO.	(day, month, year)	DATE OF ISSUE (day, month, year)	PRIORITY CITALMED UNDER 35 USC 119
				YES NO []
				[] YES NO []
				[] YES NO []
I. FOREIGN AP	PLICATION[S], IF ANY, FILED MORE THAN	12 MONTHS (6 MONTHS FOR DESIGN) PR	IOR TO SAID APPLICATION	
				[ J YES NO   ]
				[] YES NO []
				[] YPS NO []

## Claim for Benefit of Prior U.S. Provisional Application(s)

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

# Claim for Benefit of Earlier U.S./PCT Application(s) under 35 U.S.C. 120

(complete this part only if this is a divisional, continuation or C-I-P application)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as white subject matter of each of the claims of this application is not disclosed in the prior application(s) in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filling date of this application(s) and the national or PCT international filling date of this application:

PCT/US99/06384	March 23, 1999	pending
ps(Application Serial No.)	(Filing Date)	(Status) (patented, pending, shareloned)
right.		
3		

(Application Scriat No.) (Filting Date) (Status) (putentest, pending, abandoned)

### Power of Attorney

As a named inventor, I hereby appoint Dana M. Raymond, Reg. No. 18,540\_Frederick C-Carver, Reg. No. 12,021; Francis J. Hone, Reg. No. 15,662; Joseph D. Garon, Reg. No. 20,120; Arthur S. Tenser, Reg. No. 18,832; Ronald B. Hildreth, Reg. No. 19,498; Thomas R. Neshitt, Ir., Reg. No. 22,075; Robert Neumer, Reg. No. 24,316; Richard G. Berkley, Reg. No. 25,465; Richard S. Clark, Reg. No. 26,154; Bradley B. Geist, Reg. No. 27,554; James J. Maume, Reg. No. 26,2646; John D. Murnane, Reg. No. 29,836; Henry Tang, Reg. No. 29,705; Robert C. Scheinfeld, Reg. No. 31,300; John A. Fogarty, Ir., Reg. No. 23,481; Louis S. Sorell, Reg. No. 24,349; Rochelle K. Scied Reg. No. 32,300; Gary M. Butter, Reg. No. 33,841; Marta E. Delsignore, Reg. No. 32,689; and Lisa B. Kolc, Reg. No. 35,225-of the firm of BAKKR BOTTS L.I.P., with offices at 30 Rockefeller Plaza, New York, New York 10112, as attorneys to prosecute this application and to transset all business in the Patent and Trademark Office connected therewith

SEND CORRESPONDENCE TO:	DIRECT TELEPHONE CALLS TO:
BAKER BOTTS L.L.P.  30 ROCKEFELLER PLAZA, NEW YORK, N.Y. 10112	BAKER BOTTS L.IP. (212) 705-5000
CUSTOMER NUMBER: 21003	(222, 222

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge

NY02:294217.1 -2-

# BAKER BOTTS L L P

# FILE NO.: A32038-PCT/USA -070050.1382

that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE OR FIRST INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
OK PIRST INVENTOR	SEMRET	NEMO		
RESIDENCE & CITIZENSHIP	CITY	STATE or FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	New York	New York	Canada	
OST OFFICE	POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
DDRESS	45 Tiemann Place	New York	NY	10027
	Apt. 5C			1
	7.4.50			
DATE	SIGNATURE OF INVENTOR	<del></del>	L	
ULL NAME OF SECOND	LAST NAME	FIRST NAME	MIDDLE NAME	
OINT INVENTOR, IF ANY	LAZAR	AUREL	A.	
ESIDENCE & CITIZENSHIP	CITY	STATE or FOREIGN COUNTRY	COUNTRY OF CITIZEN	SHIP
*	New York	NY ()	Germany	
OST OFFICE	POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
DDRESS	410 Riverside Prive Apt. 32A	New York	NY	10025
TE -1-1-1	SIGNATURE OF INVENTOR	12.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	1	10025
D 2/2/01	When you			
TILL NAME OF THIRD ONT INVENTOR, IF ANY	LAST NAME	FIRST NAME	MIDDLE NAME	
SIDENCE & CITIZENSHIP	CITY	STATE or FOREIGN COUNTRY	COUNTRY OF CITIZEN	citio
gistoence actrizenanii	CITI	STATE OF FOREIGN COONTRY	COUNTRY OF CHIZEN	onur
OST OFFICE	POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
DRESS				
<b>Д</b> ТЕ	SIGNATURE OF INVENTOR		<del></del>	,
el M				
ULL NAME OF FOURTH	LAST NAME	FIRST NAME	MIDDLE NAME	
OINT INVENTOR, IF ANY				
HISIDENCE & CITIZENSHIP	CITY	STATE or FOREIGN COUNTRY	COUNTRY OF CITIZEN	SHIP
POST OFFICE	POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
ADDRESS				
DATE	SIGNATURE OF INVENTOR			
FULL NAME OF FIFTH	LAST NAME	FIRST NAME	MIDDLE NAME	
OINT INVENTOR, IF ANY			IDELL ITAME	
RESIDENCE & CITIZENSHIP	CITY	STATE or FOREIGN COUNTRY	COUNTRY OF CITIZEN	SHIP
POST OFFICE	POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
ADDRESS				
DATE	SIGNATURE OF INVENTOR			
FULL NAME OF SIXTH	LAST NAME	FIRST NAME	MIDDLE NAME	
OINT INVENTOR, IF ANY				
RESIDENCE & CITIZENSHIP	CITY	STATE of FOREIGN COUNTRY	COUNTRY OF CITIZEN	ISHIP
	1			
	POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
POST OFFICE				



# BAKER BOTTS LL.P. FILE NO.: A32038-PCT/USA -070050.1382

that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

SEMMET CITY New York POST OFFICE ADDRESS 45 Tiempent Place Apt 1  NIGNATURE OF INTENTOR	NEMO STATE OF FOREIGN COUNTRY New York CITY New York	COUNTRY OF CITIZEN Canada STATE OF COUNTRY NY	SHIP ZIP CODE
New York POST OFFICE ADDRESS 45 TIEMPORT Place Apt 1  SIGNATURE OF IMPENTOR	New York	Canada STATE OF COUNTRY	
POST OFFICE ADDRESS 45 Tiement Place 123 Arcina A Apt 1  NIGNATURE OF INFENTOR		STATE OF COUNTRY	ZIP CODE
45 Tiempant Place 123 Aytum A Apt 1  SIGNATURE OF DEPARTOR	New York		ZIP CODE
SIGNATURE OF ISSENTOR	New York	NY	10007
SIGNATURE OF ISSENTOR			
SIGNATURE OF ISSENTOR			10000
7/87		1	10009
	FIRST NAME	MIDDLE NAME	
	AUREL	A.	
LAZAR			
CITY	\$1 ATE or FOREIGN COUNTRY,	COUNTRY OF CITIZEN	SHIP
New York	NY	Germany	
POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
			10025
	12.0	1-:-	120020
SIGNATURE OF INVENTOR			
LASTNAME	FIRST NAME	MIDDLE NAME	
APPA .	CYNA'CS OF ECDERICAL COLDITARY	COLDITAR OF CITIZEN	CUID
City	STATE OF POREIGN COUNTRY	COUNTRI OF CITIZEN	Snir
POST OFFICE ADDRESS	CITY	STATE or COUNTRY	ZIP CODE
SIGNATURE OF INVENTOR			
		1	
LAST NAME	FIRST NAME	MIDDLE NAME	
CITY	STATE OF FOREIGN COUNTRY	COUNTRY OF CITIZEN	SHIP
POST OFFICE ADDRESS	CITY	STATE OF COVENITRY	ZIP CODE
TOUT OF THE PROPERTY	l	DIMI BUI GODINIKI	Z.i. CODE
	<u> </u>		<u> </u>
SIGNATURE OF INVENTOR			
LAST NAME	EDRO NAME	MIDDLE NAME	
HOLL HOME	Thur Hanz	I I I I I I I I I I I I I I I I I I I	
CITY	STATE of FOREIGN COUNTRY	COUNTRY OF CITIZEN	ISHIP
POST OFFICE ADDICESS	CITY	STATE OF COLINTRY	2.IP CODE
SIGNATURE OF INVENTOR			
LAST NAME	FIRST NAME	MIDDLE NAME	
and the second s	Cinetic - Poppical dollars	00111111111111111111111	wren
UTIY	STATE OF FORFIGN COUNTRY	COUNTRY OF CITIZEN	ishil?
POOT OFFICE APPRECA	cumv	(T. TC. CO.)	Tour corn-
PUST OFFICE ADDRESS	CITY	STATE OF COUNTRY	ZIP CODE
	New York POST OFFICE ADDRESS 410 Riverside Drive, Apt. 32A SIGNATURE OF INVENTOR LAST NAME CITY POST OFFICE ADDRESS SIGNATURE OF INVENTOR LAST NAME	New York  NY POST OFFICE ADDRESS  CITY  STATE OF FOREIGN COUNTRY  FORT OFFICE ADDRESS  CITY  FORT OFFICE ADDRESS	New York NY Germany POST OFFICE ADDRESS CITY STATE OF COUNTRY  POST OFFICE ADDRESS CITY STATE OF COUNTRY  SIGNATURE OF INVENTOR  LAST NAME FIRST NAME MIDDLE NAME  CITY STATE OF FOREIGN COUNTRY  STATE OF FOREIGN COUNTRY  STATE OF FOREIGN COUNTRY  COUNTRY OF CITIZEN  TOTAL OF INVENTOR  LAST NAME FIRST NAME MIDDLE NAME  CITY STATE OF FOREIGN COUNTRY  COUNTRY OF CITIZEN  STATE OF FOREIGN COUNTRY  COUNTRY OF CITIZEN  TOTAL OF INVENTOR  LAST NAME PIRST NAME MIDDLE NAME  CITY STATE OF FOREIGN COUNTRY  COUNTRY OF CITIZEN  STATE OF FOREIGN COUNTRY  COUNTRY OF CITIZEN  SIGNATURE OF INVENTOR  LAST NAME FIRST NAME MIDDLE NAME  CITY STATE OF FOREIGN COUNTRY  SIGNATURE OF INVENTOR  LAST NAME FIRST NAME MIDDLE NAME  CITY STATE OF FOREIGN COUNTRY  COUNTRY OF CITIZEN  SIGNATURE OF INVENTOR  LAST NAME FIRST NAME MIDDLE NAME  CITY STATE OF FOREIGN COUNTRY  COUNTRY OF CITIZEN  SIGNATURE OF INVENTOR  LAST NAME FIRST NAME MIDDLE NAME  CITY STATE OF COUNTRY  COUNTRY OF CITIZEN  STATE OF COUNTRY  COUNTRY OF CITIZEN  STATE OF COUNTRY  STATE OF COUNTRY  COUNTRY OF CITIZEN  STATE OF COUNTRY  STATE OF COUNT